



Remington 783 Trigger


The World's Finest Triggers®

TRIGGER INSTALLATION INSTRUCTIONS

Thank you for purchasing this Timney Trigger. It has been designed and manufactured to provide you with a lifetime of dependable service. Each trigger is hand tested and calibrated on a rifle action before leaving our factory. Please read these instructions **fully** before you begin installing the trigger, you'll be glad you did.

Installation Instructions

1. Before beginning work on any firearm, remove the ammunition source and double check to ensure the chamber is empty.
2. To install the Timney 783 trigger a 9/64 Allen key is required.
3. Press the bolt stop and remove the bolt from the action.
4. Remove the 2 action screws to separate the action from the stock.
5. Remove 2 screws that hold the trigger in place.
6. With a fine screwdriver remove the E-clips that holds the bolt stop in place.
7. Install the bolt stop on your new Timney 783 trigger, don't forget to reuse the E-clips.
8. Install the trigger back on the action with the use of the 2 screws and insert the bolt. Make sure to use the longer screw in the front mounting hole or the bolt will not fit back in the action.
9. Use the 2 forward facing screws to adjust your trigger for over travel (top) and pull weight (bottom).
10. Reinstall the action back in the stock with the factory recommended torque settings.
11. Perform a function check and enjoy your new Timney Trigger.



NOTE: *If you have trouble, contact Timney or check out the troubleshooting steps on the Timney website www.timneytriggers.com. Timney will also install your trigger for \$40.00 plus \$35.00 shipping and handling.*

TIMNEY TRIGGER GUARANTEE

Material and workmanship: This Timney trigger has been carefully inspected, tested and adjusted to give a lifetime of dependable service. Every possible care has been exercised in its design and construction. If any defect in workmanship or material should develop under conditions of normal use and service, any necessary repairs, including parts and labor will be made at NO CHARGE to the purchaser providing that our inspection reveals parts were not damaged through accident, alteration, misuse, abuse or other causes beyond our control. We neither assume nor imply any oral or statutory warranties, and we neither assume nor authorize any person to assume for us any obligation or liability in connection with this trigger. Repairs or disassembly of this trigger in any manner without specific authorization voids the guarantee.